

VIICII V

PROFILE & LED STRIP

INDEX



O1 Profile Page
BS Profile

Profile

R Profile

I Profile M Profile T Profile

T69 Profile

rofile 01 - 04

02 LED Strip Page

Flexi Slim Line

COB Line

COB Slim Line

Flexi Rainbow Line

Flexi Tune Line

Flexi-Linelight 128 HE 05 - 06



MaterialsAluminium

Colour Black

Installation

Surface Mounted / Recessed Ceiling

Technical

Technical

196-M1010

BS Profile



Description

Materials

Aluminium

Colour Black

Installation

Surface Mounted / Recessed Ceiling

C Profile



Description

Materials Technical

Aluminium

ColourBlack / White / Silver

InstallationSurface Mounted / Recessed Ceiling

E Profile



61 Ubi Rd 1, #01-09 Oxley Bizhub, Singapore 408727



Materials Technical Aluminium

ColourBlack / White / Silver

InstallationSurface Mounted / Recessed Ceiling

ER Profile

Description

Materials Technical Aluminium

Colour Black / White / Silver 250a

InstallationPendant / Surface Mounted / Recessed Ceiling


H Profile



Description

Materials Aluminium

Colour Black **Technical**



Installation

Surface Mounted / Recessed Ceiling

https://mylighthouse.com.sg/ 61 Ubi Rd 1, #01-09 Oxley Bizhub, Singapore 408727 I Profile






Materials Aluminium

Colour Black

Technical



Installation

Surface Mounted / Recessed Ceiling

M Profile



Description

Materials Technical Aluminium

Colour Black / White / Silver

Installation **Recessed Ceiling** T Profile



Description

Materials Aluminium

Colour Black / White / Silver

Installation **Recessed Ceiling** T55 Profile



Technical



MaterialsAluminium

Technical

T69 Profile



Black / White / Silver



Installation

Surface Mounted / Recessed Ceiling



Description

MaterialsAluminium

Technical

V Profile

Colour

Black / White / Silver



Installation

Surface Mounted





Materials Aluminium

Colour

Technical



Specification

Integrated LED, (3000K / 4000K), DC 24V

Flexi Slim Line



Description

Materials

Aluminium

Colour

Technical



Specification

Integrated LED, (3000K / 4000K), DC 24V

COB Line



COB Slim Line

Description

Technical Materials Aluminium

Colour

ED STRI

Specification

Integrated LED, (3000K / 4000K), DC 24V

https://mylighthouse.com.sg/ 61 Ubi Rd 1, #01-09 Oxley Bizhub, Singapore 408727




Materials Aluminium

Colour

_

Technical



Specification

Integrated LED, (3000K / 4000K), DC 24V

Flexi Rainbow Line



Description

Materials Tech

, marrininar

Colour

Technical



Specification

Integrated LED, (3000K / 4000K), DC 24V

Flexi Tune Line



Description

Materials Technical Aluminium

Colour

_

ED STRI

Specification

Integrated LED, (3000K / 4000K), DC 24V

Flexi-Linelight 128 HE

